



Product code	7077	Page 1 of 11
Product name	ROVRAL 50 WP	May 2017
		Supersedes 08/10/2014

SAFETY DATA SHEET

Rovral 50 WP

Revision: Sections containing a revision or new information are marked with a ♣.

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. **Product identifier** **Rovral 50 WP**
Contains iprodione
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** Can be used as fungicide only.
- 1.3. **Details of the supplier of the safety data sheet** **CHEMINOVA A/S**, a subsidiary of FMC Corporation
Thyborønvej 78
DK-7673 Harboøre
Denmark
SDS.Ronland@fmc.com
- 1.4. **Emergency telephone number**
Medical emergencies:
- | | |
|-------------------------------------|---|
| Austria: +43 1 406 43 43 | Netherlands: +31 30 274 88 88 |
| Belgium: +32 70 245 245 | Norway: +47 22 591300 |
| Bulgaria: +359 2 9154 409 | Poland: +48 22 619 66 54 |
| Cyprus: 1401 | +48 22 619 08 97 |
| Czech Republic: +420 224 919 293 | Portugal: 808 250 143 (in Portugal only) |
| +420 224 915 402 | +351 21 330 3284 |
| Denmark: +45 82 12 12 12 | Romania: +40 21318 3606 |
| France: +33 (0) 1 45 42 59 59 | Slovakia: +421 2 54 77 4 166 |
| Finland: +358 9 471 977 | Slovenia: +386 41 650 500 |
| Hungary: +36 80 20 11 99 | Spain: +34 91 562 04 20 |
| Greece: 30 210 77 93 777 | Sweden: +46 08-331231 |
| Ireland (Republic): +352 1 809 2166 | 112 |
| Italy: +39 02 6610 1029 | Switzerland: 145 |
| Lithuania: +370 523 62052 | United Kingdom: 0870 600 6266 (in the UK only) |
| +370 687 53378 | U.S.A. & Canada: +1 800 / 331-3148 (PROSAR) |
| Luxembourg: +352 8002 5500 | All other countries: +1 651 / 632-6793 (PROSAR - Collect) |
- For fire, leak, spill or other accident emergencies:*
U.S.A.: +1 800 / 424 9300 (CHEMTREC)
All other countries: +1 703 / 527 3887 (CHEMTREC - Collect)

♣ SECTION 2: HAZARDS IDENTIFICATION

- 2.1. **Classification of the substance or mixture** Carcinogenicity: Category 2 (H351)
Hazards to the aquatic environment, acute: Category 1 (H400)
chronic: Category 1 (H410)

Product code	7077	Page 2 of 11
Product name	ROVRAL 50 WP	May 2017

WHO classification Class III, slightly hazardous

Health hazards The active ingredient iprodione is suspected of causing cancer.

Environmental hazards The product is very toxic to aquatic organisms.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Product identifier Rovral 50 WP
Contains iprodione

Hazard pictograms (GHS08, GHS09)



Signal word Warning

Hazard statements

H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Supplementary hazard statement

EUH401 To avoid risks to human health and the environment, comply with the instructions of use.

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing and eye protection.
P308+P313 IF exposed or concerned: Get medical attention/advice.
P501 Dispose of contents/container as hazardous waste.

2.3. Other hazards None of the ingredients in the product meets the criteria for being PBT or vPvB.

♣ SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances The product is a mixture, not a substance

3.2. Mixtures See section 16 for full text of hazard statements.

Active ingredient

Iprodione Content: 50% by weight
CAS name 1-Imidazolidinecarboxamide, 3-(3,5-dichlorophenyl)-N-(1-methyl-ethyl)-2,4-dioxo-
CAS no. 36734-19-7
IUPAC name 3-(3,5-Dichlorophenyl)-N-isopropyl-2,4-dioxoimidazolidine-1-carboxamide
ISO name/EU name Iprodione
EC no. (EINECS no.) 253-178-9

Product code	7077	Page 3 of 11
Product name	ROVRAL 50 WP	May 2017

EU index no. 616-054-00-9
Molecular weight 330.2
Classification of the ingredient Carcinogenicity: Category 2 (H351)
Hazards to the aquatic environment, acute: Category 1 (H400)
chronic: Category 1 (H410)

<u>Reportable ingredient</u>	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Alcohols, C12-15, ethoxylated	< 5	68131-39-5	None	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)

♣ SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

Skin contact Immediately remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. Get medical attention if any symptom develops.

Eye contact Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. Get medical attention if irritation develops.

Ingestion Let the exposed person rinse mouth and drink several glasses of water or milk, but not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

In animal tests on iprodione, the main symptom was reduced activity.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required in case of ingestion.

It may be helpful to show this safety data sheet to physician.

Notes to physician

A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

♣ SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as hydrogen chloride, nitrogen oxides, carbon monoxide, carbon dioxide and various chlorinated organic compounds.

Product code	7077	Page 4 of 11
Product name	ROVRAL 50 WP	May 2017

- 5.3. **Advice for firefighters** Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

♣ SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1. **Personal precautions, protective equipment and emergency procedures** It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.
- In case of large spill (involving 10 tonnes of the product or more):
1. use personal protection equipment; see section 8
 2. call emergency telephone no.; see section 1
 3. alert authorities.
- Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.
- Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area.
- 6.2. **Environmental precautions** Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.
- 6.3. **Methods and materials for containment and cleaning up** It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).
- If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with damp cloth and/or strong industrial detergent with much water. Absorb wash liquid onto a suitable absorbent such as universal binder, attapulgate, bentonite or other absorbent clays and transfer contaminated absorbent to suitable containers. The used containers should be properly closed and labelled.
- Large spills which soak into the ground should be dug up and transferred to suitable containers.
- Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.
- 6.4. **Reference to other sections** See subsection 8.2. for personal protection. See section 13 for disposal.

Product code	7077	Page 5 of 11
Product name	ROVRAL 50 WP	May 2017

♣ SECTION 7: HANDLING AND STORAGE
--

7.1. Precautions for safe handling In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities The product is stable under normal conditions of warehouse storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. Specific end use(s) The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters
 Personal exposure limits To our knowledge not established for any of the ingredients in this product. However, personal exposure limits defined by local regulations may exist and must be observed.

Iprodione
 DNEL, systemic 0.3 mg/kg bw/day
 PNEC, aquatic environment 1.7 µg/l

8.2. Exposure controls When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the

Product code	7077	Page 6 of 11
Product name	ROVRAL 50 WP	May 2017

system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

The product does not automatically present an airborne exposure concern when handled carefully, but in the event of an accidental discharge of the material which produces a heavy vapour or dust, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection. It is recommended to limit the work to be done manually.



Eye protection

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

♣ SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance	Beige solid (powder)	
Odour	Slight	
Odour threshold	Not determined	
pH	1% dispersion in water: 6 - 7	
Melting point/freezing point	Not determined	
Initial boiling point and boiling range	Not determined	
Flash point	Not determined	
Evaporation rate	Not determined	
Flammability (solid/gas)	Not highly flammable	
Upper/lower flammability or explosive limits	Not determined	
Vapour pressure	Iprodione	: 5×10^{-7} Pa at 25°C
Vapour density	Not determined	
Relative density	Not determined	
	Density: 0.35 g/cm ³	

Product code	7077	Page 7 of 11
Product name	ROVRAL 50 WP	May 2017

Solubility(ies)	Solubility of iprodione at 20°C in: Acetone 520 mg/l hexane 12.2 mg/l water approx. 0.5 mg/l
Partition coefficient n-octanol/water	Iprodione : log K _{ow} = 3.0 at 25°C and pH 5
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Viscosity	Not determined
Explosive properties.....	Not explosive
Oxidising properties	Not oxidising

9.2. **Other information**
Miscibility The product is dispersible in water.

♣ SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	To our knowledge, the product has no special reactivities.
10.2. Chemical stability	The product is stable during normal handling and storage at ambient temperatures.
10.3. Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	Heating of the product will evolve harmful and irritant vapours.
10.5. Incompatible materials	None known.
10.6. Hazardous decomposition products	See subsection 5.2.

♣ SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects	* = Based on available data, the classification criteria are not met.
<i>Product</i>	
Acute toxicity	The product is not considered as harmful by single exposures. * The acute toxicity is measured as:
Route(s) of entry - ingestion	LD ₅₀ , oral, rat: > 2000 mg/kg
- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg
- inhalation	LC ₅₀ , inhalation, rat: > 5 mg/l/4 h
Skin corrosion/irritation	May be mildly irritating to skin. *
Serious eye damage/irritation	May be mildly irritating to eyes. *
Respiratory or skin sensitisation ...	Not sensitising. *
Germ cell mutagenicity	The product contains no ingredients known to be mutagenic. *
Carcinogenicity	The active ingredient iprodione is a suspected carcinogen. Benign tumours in interstitial cells in testes in rats. Benign and malignant tumours in the liver and slight increase of ovarian luteomas in mice.

Product code	7077	Page 8 of 11
Product name	ROVRAL 50 WP	May 2017

Reproductive toxicity	The product contains no ingredients known to have adverse effects on reproduction. *
STOT – single exposure	To our knowledge, no specific effects have been observed after single exposure. *
STOT – repeated exposure	The following has been measured on the active ingredient iprodione: Target organs: liver, reproductive organs and adrenals NOEL: 30.8 (male) - 35.8 (female) mg/kg bw/day in a 90-day rat study based on increase of liver weight. At higher doses: atrophy of prostate and uterus, vacuolation of adrenals and reduced number of corpora lutea. *
Aspiration hazard	The product does not present an aspiration hazard. *
Symptoms and effects, acute and delayed	In animal tests on iprodione, the main symptom was reduced activity.
<u>Iprodione</u> Toxicokinetics, metabolism and distribution	The substance is rapidly absorbed following oral administration. Elimination is fast and almost complete after 7 days. There is no indication of bioaccumulation.
Acute toxicity	The substance may be slightly harmful by ingestion, but is not considered harmful by skin contact or inhalation. * The acute toxicity is measured as:
Route(s) of entry	- ingestion LD ₅₀ , oral, rat: 1500 - 3700 mg/kg
	- skin LD ₅₀ , dermal, rat: > 2500 mg/kg *
	- inhalation LC ₅₀ , inhalation, rat: > 5.16 mg/l/4 h *
Skin corrosion/irritation	Not irritating to skin. *
Serious eye damage/irritation	Slightly irritating to eyes. *
Respiratory or skin sensitisation ...	Not a skin sensitizer. *
<u>Alcohols, C12-15, ethoxylated</u> Acute toxicity	The substance is harmful by ingestion.
Skin corrosion/irritation	May irritate skin. *
Serious eye damage/irritation	Risk of serious damage to eyes.
Further information	No further information available *

♣ SECTION 12: ECOLOGICAL INFORMATION

12.1. **Toxicity** The product is expected to be toxic to aquatic invertebrates and harmful to fish and aquatic plants. It is not considered as harmful to birds, soil micro- and macroorganisms, insects and mammals.

The ecotoxicity of iprodione is measured as:

Product code	7077	Page 9 of 11
Product name	ROVRAL 50 WP	May 2017

- Fish	Rainbow trout (<i>Oncorhynchus mykiss</i>)	96-h LC ₅₀ : 4.1 mg/l
- Invertebrates	Daphnids (<i>Daphnia magna</i>)	48-h EC ₅₀ : 0.25 mg/l 21-day NOEC: 0.17 mg/l
- Algae	Green algae (<i>Scenedesmus subspicatus</i>)	72-h EC ₅₀ : > 0.5 mg/l
- Earthworms	<i>Eisenia foetida andrei</i>	14-day LC ₅₀ : > 1000 mg/kg soil
- Birds	Bobwhite quail (<i>Colinus virginianus</i>)	LD ₅₀ : > 2000 mg/kg
- Bees	Honey bees (<i>Apis mellifera</i>)	48-h LD ₅₀ , acute oral: > 25 µg/bee 48-h LD ₅₀ , contact: > 250 µg/bee

- 12.2. **Persistence and degradability** **Iprodione** is biodegradable, but does not meet the criteria for being readily biodegradable. It undergoes degradation in the environment and in waste water treatment plants. In aerobic soil and water it degrades with primary half-lives of a few weeks to a few months. Degradation products are not considered as harmful to soil dwelling or aquatic organisms.
- 12.3. **Bioaccumulative potential** See section 9 for n-octanol/water partition coefficient.
Iprodione has a low bioaccumulation potential. Bioconcentration factor was determined to be 70 for whole fish (bluegill sunfish).
- 12.4. **Mobility in soil** **Iprodione** is of low to medium mobility in soil. It is absorbed onto soil particles.
- 12.5. **Results of PBT and vPvB assessment** None of the ingredients meets the criteria for being PBT or vPvB.
- 12.6. **Other adverse effects** Other relevant hazardous effects in the environment are not known.

♣ SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.
Disposal of waste and packagings must always be in accordance with all applicable local regulations.
- Disposal of product According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.
Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
- Disposal of packaging It is recommended to consider possible ways of disposal in the following order:
1. Reuse or recycling should first be considered. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
2. Controlled incineration with flue gas scrubbing is possible for

Product code	7077	Page 10 of 11
Product name	ROVRAL 50 WP	May 2017

combustible packaging materials.
3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

♣ SECTION 14: TRANSPORT INFORMATION

ADR/RID/IMDG/IATA/ICAO classification

- 14.1. **UN number** 3077
- 14.2. **UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (iprodone)
- 14.3. **Transport hazard class(es)** 9
- 14.4. **Packing group** III
- 14.5. **Environmental hazards** Marine pollutant
- 14.6. **Special precautions for user** Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.
- 14.7. **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code** The product is not transported in bulk by ship.

♣ SECTION 15: REGULATORY INFORMATION

- 15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture** Seveso category (Dir. 2012/18/EU); dangerous for the environment
The employer shall assess any risks to the safety or health and any possible effect on the pregnancies or breastfeeding of workers and decide what measures should be taken (Dir. 92/85/EEC).
The Young Worker Directive (94/33/EC) prohibits people under the age of 18 to work with this product.
- 15.2. **Chemical safety assessment** A chemical safety assessment is not required to be included for this product.

♣ SECTION 16: OTHER INFORMATION

- Relevant changes in the safety data sheet Numerous changes have been made to adapt the format of the safety data sheet to EU Reg. 453/2010, but these do not involve new information concerning hazardous properties.
- List of abbreviations
 - CAS Chemical Abstracts Service
 - Dir. Directive
 - DNEL Derived No Effect Level
 - EC European Community
 - EC₅₀ 50% Effect Concentration

Product code	7077	Page 11 of 11
Product name	ROVRAL 50 WP	May 2017

EINECS	European INventory of Existing Commercial Chemical Substances
GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
IBC	International Bulk Chemical code
ISO	International Organisation for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	50% Lethal Concentration
LD ₅₀	50% Lethal Dose
MARPOL	Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
n.o.s.	Not otherwise specified
PBT	Persistent, Bioaccumulative, Toxic
PNEC	Predicted No Effect Concentration
Reg.	Regulation
STOT	Specific Target Organ Toxicity
vPvB	very Persistent, very Bioaccumulative
WHO	World Health Organisation

References Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.

Method for classification Calculation rules

Used hazard statements
H302 Harmful if swallowed.
H318 Causes serious eye irritation.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions of use.

Advice on training This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB