

## 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

### 1.1 Product identifier

Trade name and/or other names and company product codes by which the mixture can be identified

Copper Hydroxide WP

Company product codes

COH500WPAES

### 1.2 Relevant identified uses of the mixture and uses advised against

#### 1.2.1 Relevant identified uses

Product in bulk for repacking only as a fungicide/bactericide

#### 1.2.2 Uses advised against

Do not use for any other purpose.

### 1.3 Details of the supplier of the safety data sheet and Emergency telephone number

AGRI-ESTRELLA, S. DE R.L. DE C.V.

SINTOX: 01(55) 5611 2634; 01 (55) 5598 9095,

Retorno Alfonso Reyes No. 331

01-800-009-2800, 24 hr/365 days (poisoning)

Complejo Industrial Chihuahua,

Chihuahua, Chih., México.

Tel. 52(614) 442-5250

### 1.4 National Emergency Telephone Numbers

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) no. 1272/2008 [CLP/GHS]

Signal word	Hazard class and category	Pictograms	Hazard statement	M-Factor
Warning	Acute Tox. 4	GHS07	H302 Harmful if swallowed	
Danger	Eye Dam. 1	GHS05	H318 Causes serious eye damage	
Warning	Aquatic Acute 1 Aquatic Chronic 1	GHS09	H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects	10 10

### Additional information

For abbreviations, refer to Section 16.

### 2.2 Label elements

Labelling according to Regulation (EC) no. 1272/2008 [CLP/GHS]

Hazard pictograms



GHS 05

GHS 09

Signal Word:

Danger

Hazard Statements:

H302: Harmful if swallowed

H318: Causes serious eye damage

SAFETY DATA SHEET according to Regulation (EC) 2015/830

Issue date: March 2020

Version 1 EU

Revision date:

Page 2 of 9

H410: Very toxic to aquatic life with long lasting effects

### Precautionary Statements:

General: --

Prevention: P260: Do not breathe dust  
P264: Wash hands and exposed skin thoroughly after handling  
P270: Do not eat, drink or smoke when using this product  
P280: Wear protective gloves, protective clothing, eye protection and face protection.  
P284: Wear respiratory protection.

Response: P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.  
P304 + P340: IF INHALED: Remove person to fresh air and keep at rest in a comfortable position for breathing. P320: Specific treatment is urgent see antidote information on this label.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor  
P391: Collect spillage

Storage: -

Disposal: P501: Dispose of contents and container in accordance with current regulations

Supplemental information: None

### 2.3 Other hazards

None known

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

### 3.2 Mixtures

#### **Description of the mixture:**

Mixture of copper hydroxide and co-formulants.

Chemical Name	CAS-No.	EC-No.	Index No.	Concentration (W/W)	CLP (Reg. 1278/2008) Classification
Copper hydroxide*	20427-59-2	243-815-9	-	50.00% as copper metal	Acute Tox. 2, H330 Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Other ingredients	-	-	-	to 100%	Not classified

#### **Additional information**

\* Copper (II) hydroxide (IUPAC), Copper hydroxide (CA)

For full text of H-phrases, see Section 16

## **4. FIRST AID MEASURES**

### 4.1 Description of first aid measures

#### **General notes:**

If symptoms occur after exposure to this product, seek medical attention immediately and show the product label or this SDS. Remove to fresh air and keep at rest. Do not allow smoking or eating. Take off all contaminated clothing and footwear.

#### **Following inhalation:**

Remove to fresh air and keep at rest in half-upright position. Seek medical attention immediately.

#### **Following skin contact:**

Remove all contaminated clothing. Wash skin with soap and rinse with plenty of water. Seek medical attention if irritation arises. Wash clothes before re-use.

**Following eye contact:**

Immediately rinse with water. Holding eyes open, continue rinsing for 15 minutes at least. Remove contact lenses as soon as possible. Seek medical attention immediately.

**Following ingestion:**

If swallowed, DO NOT INDUCE VOMITING: seek medical advice immediately and show this container or label. Remove any residues from mouth and rinse it with plenty of water. Offer the casualty 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person.

**Self-protection of first aider**

Personal protective equipment for first aid responders is recommended according to potential for exposure (refer to Section 8).

**4.2 Most important symptoms and effects, both acute and delayed**

The symptoms and the effects indicated in this section refer to an accidental exposure scenario.

**Following inhalation:**

Serious nasal irritation and discharge with risk of long-term damage.

**Following skin contact:**

Possible slight transitory redness. No delayed effects expected.

**Following eye contact:**

Serious irritation and redness with risk of long-term eye damage.

**Following ingestion:**

Possible mild gastrointestinal effects. No significant delayed effects expected.

**4.3 Indication of immediate medical attention and special treatment needed**

An eye wash facility should be available where the product is stored, handled and used.

**Notes for the doctor:**

Unless there is significant non-accidental intake of this mixture, the exposure scenarios calculated according to the correct use of the substance are unlikely to result in high copper concentrations in the body. Assess the level of exposure and take advice from a Poison Centre prior to administration of any specific antidotes.

**Symptoms:** protein denaturation with lesions of the mucous membranes. CNS, liver and kidney damage, hemolysis. Vomiting with emission of green material, gastroesophageal burning, bloody diarrhea, abdominal pains, hemolytic jaundice, hepatic and renal failure, convulsions, collapse. Metal inhalation fever. Eye exposure may produce conjunctivitis/ulceration and corneal turbidity. Exposure to skin may cause irritation.

**Therapy:** In case of ingestion gastric lavage with lactalbumin solution may be necessary (with proper laryngeal control). Before emptying the stomach, assess the potential danger arising from lung aspiration against the product toxicity. Mucosal damage may contraindicate gastric lavage. Elevated urinary copper is indication of excess copper exposure. In case of elevated blood copper levels use chelators, penicillamine if oral way is accessible or CaEDTA intravenous and Dimercaprol intramuscular.

Administer symptomatic and supportive therapy. Inform Agri-Estrella of any unusual symptoms from exposure to the mixture by any way.

---

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media:**

Carbon dioxide, water spray, alcohol-resistant foam, dry chemical for small fires, alcohol-resistant foam or water spray for large fires.

**Unsuitable extinguishing media:**

Solid water jet.

### 5.2 Special hazards arising from the mixture

**Hazardous combustion products**

Evolves toxic fumes (oxides of copper)

### 5.3 Advice for fire-fighters

Clothing conforming to EN469 should be sufficient to deal with fires involving the mixture.

However, a Self-Contained Breathing Apparatus (SCBA) may be required if there is a potential for exposure to combustion fumes.

## **5.4 Additional information**

Provide storage and work areas with suitable fire extinguishers.

Call the Fire Brigade at once to deal with all fires involving pesticides unless the fire is small and immediately controllable. Spray unopened containers with a mist spray to keep cool. If without risk, remove intact containers from exposure to fire. Contain fire-fighting water, bunding if necessary, with sand or earth. Do not allow contamination of public drains or surface or ground waters. Dispose of fire debris and contaminated water by containing and soaking up the spillage with inert and absorbent material before disposing of safely and legally, for example through a licensed waste disposal contractor.

## **6. ACCIDENTAL RELEASE MEASURES**

---

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **6.1.1 For non-emergency personnel**

Precautions: Do not inhale the substance and do not use any cleaning method that generates airborne particles.

Protective equipment: Wear prescribed personal protective equipment to prevent inhalation and contact with eyes and skin. A Self-Contained Breathing Apparatus (SCBA) is required

Emergency procedures: Remove immediately any contaminated clothing. Call the emergency services if the release is not immediately controllable. If the release is localized and immediately controllable, wear a Self-Contained Breathing Apparatus (SCBA) and try and control the release at its source.

#### **6.1.2 For emergency responders**

Clothing conforming to EN469.

### **6.2 Environmental precautions**

Use appropriate containment to avoid environmental contamination. Control the release at its source. Contain the spill to prevent it from spreading, contaminating soil or entering sewage and drainage systems or any body of water. Inform the local water company if the release enters drains and the appropriate regional/national authority if it enters surface or ground waters.

### **6.3 Methods and material for containment and cleaning up**

#### **For containment**

A Self-Contained Breathing Apparatus (SCBA) is required. Contain spill and place into a compatible marked disposal container.

#### **For cleaning up**

A Self-Contained Breathing Apparatus (SCBA) is required. Due to risk of inhalation and/or ignition of dust particles, do not use any cleaning method that generates airborne particles. Wet sweep and place in a compatible, disposal container. Do not use a vacuum cleaner, unless explosion proof. For large spills, flush contaminated area thoroughly with water. Pick up rinse material with an absorbent material such as clay or sand and place in a chemical waste container for approved disposal.

#### **Other information**

Not Applicable

### **6.4 Reference to other sections**

Refer to Section 8 for personal protective equipment and to Section 13 for disposal instructions.

## **7. HANDLING AND STORAGE**

---

### **7.1 Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide suitable ventilation in the areas where the product is stored and used. Contaminated work clothing should not be allowed out of the workplace. Avoid all contact by mouth, with eyes and skin. Wear personal protective equipment as specified in Section 8.

When using, do not eat, drink or smoke. Remove contaminated clothing and protective equipment before meals and after work. Wash hands and exposed skin before meals and after work. Wash all protective clothing thoroughly after use, especially the insides of gloves.

### **7.2 Conditions for safe storage, including any incompatibilities**

The mixture is stable under normal ambient conditions. Keep in original container, in a dry, cool and safe place. Store in a locked, suitable store. Keep away from any source of ignition. Keep out of the reach of children and unauthorized personnel. Keep away from food, drink and animal feeding stuffs.

### 7.3 Specific end use(s)

Product in bulk for repacking only, every other use is hazardous.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

### 8.1 Control Parameters Occupational Exposure limit values

#### Occupational exposure limit values

Occupational exposure limit values have been set for the following components:

Country	Copper, dusts and mists (as Cu)		Copper, fume, respirable dust	
	Limit value - 8h (mg/m <sup>3</sup> )	Limit value – Short term (mg/ m <sup>3</sup> )	Limit value - 8h (mg/m m <sup>3</sup> )	Limit value - Short term (mg/m m <sup>3</sup> )
Austria	1(a)	-	0.1	0.4
Belgium	1	-	0.2	-
Denmark	1	2	0.1	0.2
France	1	2	0.2	-
Germany (DFG)	0.1(a)(b)	0.2(a)(b)(c)	0.01(d)	0.02(d)(e)
Hungary	1	4	0.1	0.4
Ireland	1	-	0.2	-
Poland	1	2	0.1	0.3
Spain	1	-	0.2	-
Sweden	1	-	0.2	-
The Netherlands	0.1(a)	-	-	-
UK	1	2	0.2	-

(a): inhalable aerosol

Germany (DFG): (b) Copper and its inorganic compounds (c) STV 15 minutes average value Germany (DFG): (d)

Respirable fraction (e) 15 minutes reference period

#### Information on monitoring procedures

None available.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Engineering controls and appropriate work processes must be used to eliminate or reduce worker and environmental exposure in the areas where the substance is handled, transported, loaded, unloaded, stored and used (particularly in areas where airborne particles may be generated). These measures must be adequate for the extent of the actual risk. Provide adequate local exhaust ventilation. Use specialized transfer systems.

#### 8.2.2 Personal protection equipment

##### Eye and face protection

Avoid contact with eyes. Wear suitable eye and face protection (EN 166).

##### Skin protection:

Hand protection: Wear suitable protective gloves against chemicals (EN 374 part 1, 2, 3). Nitrile rubber min. 0.5mm thick and 300mm long gloves are the ones proven to be the most suitable according to tests on pesticide products.

Wash the gloves thoroughly after each use, especially the insides. Replace gloves if damaged and before exceeding the breakthrough time.

Body protection: Avoid contact with skin. If there is a significant potential for contact, wear suitable coveralls (ISO 13982-1, Type 5, EN 13034, Type 6).

Other skin protection: None specified.

##### Respiratory protection:

No special requirement when used as recommended. If a risk assessment shows that engineering controls do not provide adequate respiratory protection to exposure to spray particles, wear particle filtering half mask (EN 149) or half mask connected to particle filter (EN 140 + 143).

#### 8.2.3 Environmental exposure controls

Implement all applicable local and community environmental protection legislation. Refer to Section 15. Use appropriate containment to avoid environmental contamination. Do not empty into drains. Do not contaminate water with the product or used container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. Refer to Section 12 and 13.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

The following data are based on the actual product and on similar products. The fungicidal and bactericidal active moiety in this mixture is the copper ion (Cu<sup>++</sup> / Cu(II) ion). Reference is made to its properties where relevant.

- |  |  |
|--|--|
| a) Appearance:                                   | Solid powder   |
| Colour:  | Pale blue  |
| b) Odour:  | No appreciable   |
| c) Odour threshold:                              | Not determined – not required under all applicable pesticide legislation.                        |
| d) pH:   | 6.0 - 7.0 (1% w/w in water)  |
| e) Melting point/freezing point:                 | Not applicable – the mixture is a liquid at ambient temperature and must be protected from frost |
| f) Initial boiling point and boiling range:      | Decomposes before melting > 200°C  |
| g) Flash point:                                  | Not applicable to solid substances   |
| h) Evaporation rate:                             | Not available - not required under all applicable pesticide legislation.                         |
| i) Flammability (solid, gas):                    | Not highly flammable   |
| j) Upper/lower flammability or explosive limits: | Not available  |
| k) Vapour pressure:                              | Not applicable to inorganic salts  |
| l) Vapour density:                               | Not applicable - not required under all applicable pesticide legislation.                        |
| m) Density:                                      | 0,45 – 0,5 g/ml  |
| Solubility(ies)                                  | Not soluble but forms a stable suspension in water at recommended use rates.                     |
| Solubility (water):                              | Copper hydroxide: (20.0°C, pH 6.5) 0.51 mg/litre<br>Copper a.i.: 0.33 mg/litre                   |
| o) Partition coefficient: n-octanol/water:       | Log Kow: 0.44, Copper Hydroxide  |
| p) Auto-ignition temperature:                    | Not available  |
| Minimum Ignition Temperature:                    | Not available  |
| Minimum Ignition Energy:                         | Not available  |
| q) Decomposition temperature:                    | No data available  |
| r) Viscosity:                                    | Not applicable. Product is a solid   |
| s) Explosive properties:                         | Explosion hazard: not explosive.   |
| t) Oxidising properties:                         | Not an oxidising agent.  |

### 9.2 Other information

None

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Non-reactive when stored in original container under normal conditions of storage and use.

### 10.2 Chemical stability

Stable when stored in original container under normal conditions of storage and use.

### 10.3 Possibility of hazardous reactions

No hazardous reactions when stored in original container under normal conditions of storage and use.

### 10.4 Conditions to avoid

Avoid storage in damp conditions. Do not store in proximity of sources of ignition.

### 10.5 Incompatible materials

None

### 10.6 Hazardous decomposition products

During decomposition evolves toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### 11.1.2 Mixtures

The following data are based on the actual product and on similar products. The fungicidal and bactericidal active moiety in this mixture is the copper ion (Cu<sup>++</sup> / Cu(II) ion). Reference is made to its properties where relevant.

- a) **Acute toxicity:**
  - LD<sub>50</sub> oral, rat: 1300 mg/kg bw. Classified as harmful if swallowed (Acute Tox. 4)
  - LD<sub>50</sub> dermal, rat: > 2000 mg/kg bw
- b) **Skin corrosion/irritation:** Slight irritant. Not classified as a skin irritant under Regulation (EC) 1272/2008
- c) **Serious eye damage/irritation:** Serious Irritant. Classified as Eye Dam. 1 under Regulation (EC) 1272/2008
- d) **Respiratory or skin sensitization:** The product is not classified as a respiratory or skin sensitizer in animal studies
- e) **Germ cell mutagenicity:** Not classified as mutagenic on the basis of mixture component information
- f) **Carcinogenicity:** Not classified as carcinogenic on the basis of mixture component information
- g) **Reproductive toxicity:** Not classified as a reproductive toxicant on the basis of mixture component information
- h) **STOT – single exposure:** Not classified as hazardous for single dose toxicity on the basis of mixture component information
- i) **STOT – repeated exposure:** Not classified as hazardous for repeated dose toxicity on the basis of mixture component information
- j) **Aspiration hazard:** Not classified as hazardous by aspiration on the basis of mixture component information.

### Likely routes of exposure and related long and short term symptoms and health effects:

**Inhalation:** There is a low risk of exposure by inhalation.

**Short-term symptoms and effects:** Serious nasal irritation and discharge.

**Long-term symptoms and effects:** Risk of long-term effects after prolonged or repeated exposure.

**Eye contact:** There is a risk of exposure by eye contact.

**Short-term symptoms and effects:** Serious irritation and swelling.

**Long-term symptoms and effects:** Risk of long-term effects after prolonged or repeated exposure.

**Skin contact:** There is a risk of exposure by skin contact.

**Short-term symptoms and effects:** Possible slight transitory redness.

**Long-term symptoms and effects:** No evidence of long-term effects after prolonged or repeated exposure.

**Ingestion:** There is a very low risk of accidental exposure by ingestion.

**Short-term symptoms and effects:** Possible mild gastrointestinal effects.

**Long-term symptoms and effects:** No evidence of long-term effects after prolonged or repeated exposure.

## 12. ECOLOGICAL INFORMATION

The following data are based on the actual product and on similar products. The fungicidal and bactericidal active moiety in this mixture is the copper ion (Cu<sup>++</sup> / Cu(II) ion). Reference is made to its properties where relevant.

### 12.1 Toxicity

#### **Acute Toxicity**

- LC<sub>50</sub> fish, *O. mykiss* (96h): 0,033 mg/l (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)
- EC<sub>50</sub> aquatic invertebrates, *Daphnia sp.* (48h): 0,076 mg/l (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)
- ErC<sub>50</sub> algae, *Scenedesmus subspicatus* (72h): 0,044 mg/l (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)
- LD<sub>50</sub> birds, *Coturnix japonica*: 1100 mg/kg bw (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)
- LD<sub>50</sub> honey bees oral, *Apis mellifera* (48h): 98 mg/l (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)
- LD<sub>50</sub> honey bees contact, *Apismellifera* (48h): 114 mg/l (estimation for Copper hydroxide 50% WP from Copper hydroxide a.s.)

### 12.2 Persistence and degradability:

The copper ion occurs naturally in the environment and is not degradable

### 12.3 Bioaccumulative potential:

The copper ion has the potential to accumulate in soil. Applications of this product as recommended do not significantly increase background levels of copper in the soil environment.

### 12.4 Mobility in soil:

The copper ion is sparingly soluble in water at normal pH levels and therefore is of low mobility in soil.

SAFETY DATA SHEET according to Regulation (EC) 2015/830

Issue date: March 2020

Version 1 EU

Revision date:

Page 8 of 9

---

**12.5 Results of PBT and vPvB assessment:** No PBT or vPvB assessments have been carried out on the mixture; please refer to 12.1, 12.2 & 12.3.

**12.6 Other adverse effects:** Not determined.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Disposal of waste product, contaminated packaging materials and any excess diluted spray should be in accordance with all relevant national legislation.

For the handling and management of accidental release, follow the information given under Section 6 and 7.

## 14. TRANSPORT INFORMATION

---

<b>14.1 UN number</b>	3077
<b>14.2 UN Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID N.O.S. (contains copper hydroxide)
<b>14.3 Transport hazard class(es)</b>	9
<b>14.4 Packing group</b>	III
<b>14.5 Environmental hazards</b>	Land transport ADR/RID - Environmentally Hazardous: Yes Maritime transport IMDG - Marine pollutant: Yes Land transport ADR/RID - Tunnel restriction code: D/E
<b>14.6 Special Precautions for User</b>	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	IBC Code: IBC08

**Note:** When transported in packages of 5 kg and less (UN3077) these goods are exempt from the main requirements of the transport regulations by virtue of Special Provision 375 of the ADR regulations 2015 for transport by road, Section 2.10.2.7 of the IMDG code 37-14 for transport by sea, and Special Provision A197 of the IATA 56th Edition regulations for transport by air.

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

REGULATION (EC) No 1107/2009 of The European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC.

REGULATION (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

COMMISSION REGULATION (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

#### National Regulations/legislation:

Refer to applicable national classification, packaging and labelling legislation.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment under Regulation (EC) 1907/2006 is required and has not been carried out.



## 16. OTHER INFORMATION

### **a) Indication of changes:**

The numbering system identifying new versions and/or revisions of this SDS is incremental. An increment by an integer number identifies the issue of a new version requiring provision of updates according to Article 31(9) of REACH, while an increment by a decimal identifies minor changes such as typographical errors, text improvements and/or formatting.

Revisions indicated by a decimal point do not affect the risk management measures or information on hazards, do not refer to restrictions imposed and/or to authorizations granted or refused.

The paragraphs where changes have been made are indicated by the symbol '!' in the margin.

Differences between this version and the previous one: This is the first version of this SDS

### **b) Abbreviations and acronyms:**

Acute Tox. 2: Acute toxicity, hazard category 2 Acute Tox. 4: Acute toxicity, hazard category 4

Eye Dam. 1: Serious eye damage, hazard category 1

Aquatic Acute 1: Hazardous to the aquatic environment, Acute hazard category 1 Aquatic Chronic 1: Hazardous to the aquatic environment,

Chronic hazard category 1 STOT RE 2: Specific Target Organ Toxicity – Repeated Exposure Category 2

STOT: Specific Target Organ Toxicity

### **c) Key literature references and sources for data:**

Albaugh Europe Sàrl

ECHA Guidance on the compilation of safety data sheets ECHA Guidance on the application of the CLP Criteria

### **d) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Acute Tox. 2, H330 Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	On basis of study data and calculation methods

### **e) Relevant H-statements and precautionary statements not written out in full under Sections 2 to 15:**

H373: May cause damage to organs through prolonged or repeated exposure through the respiratory track

### **f) Training advice:**

General occupational hygiene training recommended.

### **g) Further information:**

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, expressed or implied. In all cases it is the responsibility of the user to determine the applicability of such information or the suitability of any products for their own particular purpose.

This Material Safety Data Sheet was compiled by Agri-Estrella in compliance with Regulation (EC) 1907/2006 as amended by 2015/830.